BenQ Lighting

LED T8 AC Tube (T8AA4)

Features & Benefits

- On/Off 4 Step Dimmable : 100% ; 60% ; 40% ; 20%
- Rotatable End-Cap : easy to adjust light direction
- High Brightness/Power Performance: 100 lm/W
- Proven Reliability : 25,000 hrs Lamp Life
- Warranty: 2 Years
- Harmless to the Lighting Objects: UV Free
- Friendly to the Earth: Mercury Free

General Characteristics

Marketing Name	Part Number	Cap-Base	Dimension	Weight	Body Material
T8AA4-09W12C730VU13D	9H.W1VST.TG3	G13	Ø28 x 580mm	220g±10%	Aluminum
T8AA4-09W12C740VU13D	9H.W1VST.TG1	G13	Ø28 x 580mm	220g±10%	Aluminum
T8AA4-09W12C760VU13D	9H.W1VST.TG2	G13	Ø28 x 580mm	220g±10%	Aluminum
T8AA4-09W12C730VU13D	9H.W1VST.EG3	G13	Ø28 x 590mm	220g±10%	Aluminum
T8AA4-09W12C740VU13D	9H.W1VST.EG1	G13	Ø28 x 590mm	220g±10%	Aluminum
T8AA4-09W12C760VU13D	9H.W1VST.EG2	G13	Ø28 x 590mm	220g±10%	Aluminum
T8AA4-19W12C730VU13D	9H.W1VST.WG5	G13	Ø28 x 1198mm	400g±10%	Aluminum
T8AA4-19W12C740VU13D	9H.W1VST.WG1	G13	Ø28 x 1198mm	400g±10%	Aluminum
T8AA4-19W12C760VU13D	9H.W1VST.WG3	G13	Ø28 x 1198mm	400g±10%	Aluminum
T8AA4-30W12C730VU13D	9H.W1VST.WG6	G13	Ø28 x 1498mm	500g±10%	Aluminum
T8AA4-30W12C740VU13D	9H.W1VST.WG2	G13	Ø28 x 1498mm	500g±10%	Aluminum
T8AA4-30W12C760VU13D	9H.W1VST.WG4	G13	Ø28 x 1498mm	500g±10%	Aluminum

Mechanical Drawing



Unit : mm

Model Name	W (mm)	X (mm)	Y (mm)	Z (mm)
T8AA3-09W	528	588	594.5	601
T8AA3-19W	1138	1198	1204.5	1211
T8AA3-30W	1438	1498	1504.5	1511

Optical Characteristics

Marketing Name	Input Voltage	Lamp Power	Luminous Flux	Color Temperature	Color Rendering Index
T8AA4-09W12C730VU13D	100-240V~	9.5 W	850lm	3000K	> 70
T8AA4-09W12C740VU13D	100-240V~	9.5 W	900lm	4000K	> 70
T8AA4-09W12C760VU13D	100-240V~	9.5 W	950lm	6000K	> 70
T8AA4-19W12C730VU13D	100-240V~	19 W	1600lm	3000K	> 70
T8AA4-19W12C740VU13D	100-240V~	19 W	1800lm	4000K	> 70
T8AA4-19W12C760VU13D	100-240V~	19 W	1900lm	6000K	> 70
T8AA4-30W12C730VU13D	100-240V~	30 W	2600lm	3000K	> 70
T8AA4-30W12C740VU13D	100-240V~	30 W	2700lm	4000K	> 70
T8AA4-30W12C760VU13D	100-240V~	30 W	2800lm	6000K	> 70